

THE AFFORDABLE ALL-IN-ONE TECHNOLOGY



SMALL SIZE

GREAT PERFORMANCE

morbidelli m90 CNC machining centre for drilling and routing

MORBIDELLI M90



THE AFFORDABLE ALL-IN-ONE TECHNOLOGY

FREEDOM



Optimizing the space in your factory thanks to the PRO-SPACE solution without safety fences.

Accessible and ergonomic 360° all around, no floor obstructions: all the components are within the base.

Total safety and freedom to load large panels (as wide as 1600 mm) due to the work table being entirely accessible.

TOP QUALITY



Reduced maintenance, thanks to the **RO.AX** (Rotoaxial spindle technology) drilling bits. It is recommended only after more than 1000 hours of work.

60% of time saved on drilling cycles with the new drill-bits designed to guarantee the best effectiveness on all types of material.

Unrivalled finishing quality with the 3/4-axis electrospindle up to 24000 r.p.m.

FASTER



Up to 25 tools always available on board.

Less than 15" for the tool change with the 14 position FAST tool changer.

FLEXIBLE



From panels to furniture, morbidelli m90 is **the right solution configured for all your needs** and your investment plan.

The **TV FLEXDRIVE** and **TV FLEX work tables** allow each bar to be easily and quickly managed according to the type of machining.

No limits for machining work pieces thick up to 180 mm on 75 mm vacuum pods.

CLEAN



No problem with dust or shavings thanks to the intelligent solution of the dust collection box located in an ergonomic position.

Free space on the floor with the vacuum pump integrated in the machine base.

DIGITAL



CAD/CAM programming software to design all the production process.

Maestro lab allows easy, quick and errorless machine management.

20 MAESTRO Software

25 Technical data

TECHNICAL FEATURES OVERVIEW

TECHNOLOGICAL ADVANTAGES



All at your fingertips thanks to the TECPAD 7" colour remote control with touch-screen.

Free access, having the cable-holder chain enclosed within the machine frame.



Faster working cycles with the 14 position FAST tool changer.





Intuitiveness and easiness with the APPS included in the Maestro software for the production of furniture and furnishing elements. The **TV FLEXDRIVE** and **TV FLEX work tables** allow each bar to be easily and quickly managed according to the type of machining.

morbidelli m90 CNC machining centre for drilling and routing



- Unrivalled finishing quality, thanks to the 3/4-axis operating unit.
- **60% of time saved** on drilling cycles with the drill-bits designed to guarantee the best effectiveness on all types of material.
- **Reduced maintenance,** thanks to the **RO.AX** (Rotoaxial spindle technology) drilling bits. It is recommended only after more than 1000 hours of work.



100% of the working area covered by all the units of the operating unit.



No problem with dust or shavings thanks to the intelligent solution of the dust collection box located in an ergonomic position.

MINIMUM OVERALL DIMENSIONS MAXIMUM SAFETY AND FLEXIBILITY



Loading zone completely free to reduce the space occupied to the minimum.

The absence of perimeter protections facilitates the work table access on all the sides of the machine.






OVERALL DIMENSIONS

MORBIDELLI M90				
		Height	Width	Length
Working area 3115 x 1320	mm	2710	2965 (3965*)	5880 (5945*)

* It includes the operating area




MACHINING UNIT: Drilling Unit

The higher drilling capacity in its category up to 21 vertical spindles, 10 horizontal spindles and an integrated blade.

INDESTRUCTIBLE AND WITH LOW MAINTENANCEA

The sturdiness of drilling heads is proven by the reduced maintenance costs: it is recommended only after more than 1000 hours of work.






60% of time saved on drilling cycles with the new drill-bits designed to guarantee the best effectiveness on all types of material.



THE PERFECT DRILLING



High performance drilling units thanks to the spindles with innovative design. The new drilling spindle offers optimal solutions to achieve the highest quality of finishing and the maximum speed of the whole execution.





RO.AX. SPINDLE

No backlash during machining with the new RO.AX technology (Rotoaxial spindle technology), the most efficient spindle on the market with rotation speeds up to 8000 rpm.





MACHINING UNIT: Routing Unit

UNRIVALLED FINISHING QUALITY with the 3/4-axis electrospindle up to 24.000 rpm.



Sal


ALL AT YOUR SPINDLE FINGERTIPS! UP TO 25 TOOLS ALWAYS AVAILABLE ON BOARD

No idle time for the tool change from a machining process to another one with the 14-position FAST tool changer.

TRB side tool changer with 11 positions.


14





RELIABLE, FAST AND USER FRIENDLY: **FLEXDRIVE WORKTABLE**


Thanks to an innovative positioning technology, **FLEXDRIVE** allows to manually set up a work table through LED light indicators positioned both on bars and locking systems.



- **Reliable.** No mistakes in the locking systems positioning thanks to the automatic verification: if the set-up is not correct, the program won't start.
- **Fast.** Minimized set-up times thanks to the lights that guide the operator by indicating the exact position of the bars and locking systems (pods and clamping devices).
- User friendly. There is no need for an expert operator: LEDs make the machine intuitive and easy to set.


morbidelli m90

CNC machining centre for drilling and routing



Bars: Blue LEDs


Locking systems: LEDs off



TOTAL VERSATILITY: RAILS WORK TABLE

The **TV FLEX** work table allows for managing the quantity of vacuum pods you need on any rails, depending on machining requirements.







Comfortable pushbutton to have at your fingertips all the necessary commands for the programs execution.



Easy positioning of heavy work pieces and large panels with the lifting support.








It is possible to add or remove vacuum pods or clamps with a simple movement of the hand.

SPACE? NO PROBLEM!



Free access without obstacles on the floor, cable-holder chain and vacuum pump integrated in the machine base.



morbidellim90 CNC machining centre for drilling and routing



Rapidity and ergonomics to equip and do maintenance to the operating group thanks to the practical frontal opening.

No problem with dust or shavings thanks to the dust shavings conveyor belt equipped with an extraction outlet and the dust collection box located in an ergonomic position.







programming and data generation

Maestro office

Office Factory

Maestro active



routing drilling

SOFTWARE

Simple, smart and open Maestro software are tailored on the machine technology as well as on the entire process. All Maestro software share a common mission:

> easy to use, so that any operator can easily and confidently learn and use the software


> > smart, with algorithms and computing modules aiming at the best possible result

> > > Cescm

open in order to integrate existing software, and provide customer the coverage of all his process.

SCM accompanies woodworking companies throughout their whole process combining machines with matching software solutions and digital services, with a constant strive to enhance company productivity.

The software solutions powered by SCM are developed to optimize machine usage as well as the entire process, providing integration with the different software existing in the company.



SOFTWARE

Maestro lab

From the office, the Maestro lab design and programming system ensures that all machining can quickly and easily be programmed.

Transforming an idea into a finished product has never been easier.

More than 150 already integrated apps allow to generate cnc programs with just a few mouse clicks.

Office

THE SOFTWARE THAT SIMPLIFIES THE WORK

CAD/CAM programming software to design all the production processes. Developed in Windows environment it ensures easy programming with an advanced, simple and intuitive sketching environment that features all the tools necessary to design the parts, tools management and the relative machining operations. All the procedures are contained in

a perfectly integrated and high performance software.

SUITE



Maestro pro view

3D Simulator that allows users access to a three dimensional model of their machine in their office and view the operations that will be carried out during the production in advance on their PC.

Uscm

_e Mae

Maestro apps

Maestro apps is a library of programming functions that are always available and easy to use, developed by SCM for the production of parts for doors, windows, stairs, furniture and furnishings.

Maestro msl connector

Connector for third-parties with design software.



Maestro active cnc

Maestro active is the interface that the operator easily uses on all SCM machines: Maestro active interface software maintains the same look&feel, the same icons and the same approach to interaction.

EASE OF USE

The interface has been specifically designed and optimised for immediate use via touch screen, for a simple and comfortable navigation.

"ZERO" ERRORS

Improved productivity thanks to integrated help and recovery procedures that reduce the possibility of operator error.



Factory

A REVOLUTIONARY APPROACH TO INTERACT WITH YOUR SCM MACHINE

FULL CONTROL OF PRODUCTION PERFORMANCES

The creation of customisable reports by operator, shift, program, forecast period (and much more) allows to monitor, optimise and improve the performance.

FULL MACHINE AWARENESS AND KNOWLEDGE MANAGEMENT SYSTEM

Recording of maintenance, training and other events, tracing all the activities in a database. The operator's know-how is also stored and made available to other people inside the organisation thanks to the possibility to comment and document all production events or notifications.

ORGANIZE YOUR PRODUCTION

Creation of different users with different roles and authorisations (e.g.: operator, maintainer, administrator, ...). Possibility of defining the work shifts on the machine and then detect activities, productivity and events that occurred in each shift.

TOTAL QUALITY OF THE FINISHED PRODUCT

The quality of finished piece is no longer put at risk by worn tools. The new Maestro active Tool Life Determination system sends notification messages as the tool reaches its end of life and recommends its replacement at the most appropriate time.

TOOLS? NO PROBLEM!

Maestro active guides the operator during the tool change phase, taking into account the programs to be executed.

A WORLD OF SERVICES FOR GREATER EFFICIENCY

Maestro connect

CONNECT YOUR MACHINE AND GAIN ACCESS TO A WORLD OF SERVICES

Connecting your machine through Maestro connect will let you subscribe a program of fast evolving services. You will access a wide range of benefits that even go beyond the machine experience and will support and assist you through the whole life-cycle of your machine.

FASTER SERVICE INTERVENTION AND PROBLEM RESOLUTION

Maestro connect provides real time data and Health Records of the Machine also to SCM Service drastically reducing its troubleshooting time.

WORKING ALWAYS IN PERFECT CONDITIONS

Maestro Connect can provide a full kit of sophisticated sensor devices to detect and warn the operator in case of alarming conditions of the machine.

DIGITAL SERVICES

SMART MAINTENANCE: DOWN TIME REDUCTION

Maestro connect reduces maintenance downtime thanks to:

- Automatic maintenance notifications and scheduling, to prevent failures and work in the best conditions of use
- Direct connection to SCM Service thanks to an automatic ticket opening function

SMART MACHINE: ANYTIME, ANYWHERE AWARENESS

Connecting your SCM machine also means having your machine always at hand. Immediate instant notifications in case of alarms or downtimes allow customers to immediately take an action thus optimizing his productivity.

SMART MANAGEMENT: PRODUCTION PERFORMANCE OPTIMIZATION

Reports and KPIs allow further analysis thus increasing Customer Knowledge about his performance and results.

SMART PARTS: FAST PARTS REPLENISHMENT

Repairs are scheduled proactively since the system provides Spare Parts suggestions and a direct Integration with Smart Parts e-shop.

SMART LEARNING: EXECUTE WORK AND RECEIVE PROBLEM SOLVING SUPPORT

Maestro connect provides an intuitive Problem Solving Management System to help the operator to self solve any issue.

SMARTECH: FASTER AUGMENTED SUPPORT

Maestro connect allows augmented reality support by means of Smartech: the head-wearable computers with wireless connectivity that will bring the interaction between customer and SCM service to a higher level.

SMART WARRANTY: YOUR MACHINE ALWAYS IN PERFECT CONDITIONS

Together with scheduled maintenance contracts, you can take care of your asset by doubling the warranty from 1 year to 2 years* for complete peace of mind! * *please read the complete contract to understand terms and conditions.*

TECHNICAL DATA

AXES		
Vectorial speed X-Y axes	m/min	56
Z axis panel clearance	mm	180
DRILLING UNIT		
Independent vertical spindles (up to)	no.	21
Independent horizontal spindles (up to)	no.	10
Rotation speed (up to)	rpm	8000
Integrated blade in X, diameter	mm	125
ROUTING UNIT		
Motor power (up to)	kW (hp)	14 (19)
Rotation speed (up to)	rpm	24000
Available tools on tool changer (up to)	positions	25
INSTALLATION		
Dust extraction air consumption	m³/h	4430
Dust extraction air speed	m/sec	25
Dust extraction outlet diameter	mm	250



THE USE OF POWER ONLY WHEN IT IS REQUIRED


Sav€nergy allows making things operate only when they are really necessary. It means the machine automatically enters "stand-by" mode when there are no panels to be machined.

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV ISO 9001

The technical data can vary according to the requested machine composition. In this catalogue, machines are shown with options. The company reserves the right to modify technical specifications without prior notice; the modifications do not influence the safety foreseen by the CE Norms.

Maximum noise levels measured according to the operating conditions established by EN 848-3:2012 Acoustic pressure in process (routing) 81 dbA (measured according to EN ISO 11202:2010, uncertainty K = 4 dB) Acoustic power in process (routing) 98 dbA measured according to EN ISO 3746:2010, uncertainty K = 4 dB)

Even if there is a correlation between above mentioned "conventional" noise emission values and average levels of personal exposure over eight hours of operators, these last also depend on the real operating conditions, duration of exposure, acoustic conditions of the working environment and presence of further noise sources, this means the number of machines and other adjacent processes.



SCM OFFERS A FULL RANGE OF **HIGHLY SPECIALISED SERVICES** WITH A QUALITY AND RELIABILITY THAT STEM FROM 70 YEARS OF EXPERIENCE IN THE INDUSTRY.

From installation and production start-up to services and maintenance. From training to the supply of specific original spare parts: **we provide solutions designed around you!**

CONTACT

SCM SERVICE via Emilia 77 - 47921 Rimini - Italy tel. +39 0541 700100 scmservice@scmgroup.com www.scmwood.com SCM SPAREPARTS Via Emilia, 61 - 47921 - Rimini - Italy tel. +39 0541 674111 spareparts@scmgroup.com www.scmwood.com



My Scm

Coscen | service WE'LL GO THE EXTRAMILE FOR YOU





Remote support

Warranty extension

SERVICE AND MAINTENANCE



TRAINING SERVICE

- Courses for machine operators
- Software and programming courses
- Training in production start-up



SPARE PARTS

- Recommended spare parts list
- E-shop
- Interactive spare-parts catalogues

Scheduled maintenance contracts

- Repairs on electronic parts, glue tanks and electro-spindles

DIGITAL SERVICES

- Maestro Connect IoT platform to be constantly connected with your machines
- Smartech assistance with augmented reality
- My Scm portal opening of service ticket and single point of access to the apps and Services tools

THE STRONGEST WOOD ARE IN OUR DNA

SCM. A HERITAGE OF SKILLS IN A UNIQUE BRAND

70 years of success gives SCM the centre stage in woodworking technology. This heritage results from bringing together the best know-how in machining and systems for wood-based manufacturing. SCM is present all over the world, brought to you by the widest distribution network in the industry.

70 years history
3 main production sites in Italy
300.000 square metres of production space
20.000 machines manufactured per year
90% export
20 foreign branches
400 agents and dealers
500 support technicians
500 registered patents

In SCM's DNA also strength and solidity of a great Group. The SCM Group is a world leader, manufacturing

SCM GROUP, A HIGHLY SKILLED TEAM EXPERT IN INDUSTRIAL MACHINES

INDUSTRIAL MACHINERY

Stand-alone machines, integrated systems and services dedicated to processing a wide range of materials.





WOODWORKING TECHNOLOGIES

TECHNOLOGIES FOR PROCESSING COMPOSITE MATERIALS, ALUMINIUM, PLASTIC, GLASS, STONE, METAL

TECHNOLOGIES

industrial equipment and components for machining the widest range of materials.

AND COMPONENTS

INDUSTRIAL COMPONENTS

Technological components for the Group's machines and systems, for those of third-parties and the machinery industry.



Ces

ELECTRIC PANELS

esteelmec

METALWORK

CAST IRON

(scmfonderie





SCM GROUP SPA via Casale 450 - 47826 Villa Verucchio, Rimini - Italy tel. +39 0541 674111 - fax +39 0541 674274 morbidelli@scmgroup.com www.scmwood.com

